



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.









Muntii Fires Budia





This same granter is very common in the Gerten of the Valores of the Cesars on the Talative; joshts broader, guits glacerous) as the dann from Bestin are, but entire without spines or with very few of them They bear abundably and the wrops are eating the fruits now. i still flowing; frit about t, none zipe nou. Both these speries about I cultivated i Nome but srandy any other Opentin Tuna for Sirily seen in Florence; fruit as in the State; herikurs, very strongly to obside The second of th MISSOURI BOTANICAL copyright reserved cm GARDEN



J U H

Naples Der 29 1868 Hi most common av most pulatable vaniety i Market Quentia Lores Las var ausantiara It Series \* fuil ounge gellow onto Deeper orange 1hsile Man Care 40-45 areste 2000 26,566 munerse Con well The most savory of all the vanity sen here - jærg Trency took not too much so 6 serie 60-65be come me mealy Men over me. His bright from The neighbor the south to the much in lærge baskets, Ihole skiplond of fleen another of all opening 45-65. - scandy tuberlu, all over the ful, esperially Municipally monded on log and small slightly (more or less vo elevatel, overed with trown wool and smilltisse MISSOURI

BOTANICAL copyright reserved cm GARDEN opuntia Fins Ind ia Naples Der 29 1888 nd as common i market as the orange coloured variety more common then the puple var forte pullion frij zellouish. voze orpale purple on one sile much like an apple\_ shribe pule, gellowite witt green linge just leke an onthany apple. - separating readily from the vind; not as juing as the purple vaniely somewhat mealy and of more faste Mubaline inmersel, much wrinkled Areolae 50-60 i g order - in the single sperimen examined many seeds were about

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GEORGE ENGLIMANN PAPERS



Naples, Nov. 30. 1868 The Quentin Fray Ind'in most abundantly outhireted about Maple; is the same plant seen by me in flore and that seen in Horence, brought from divide. chandenjed by its orange fruit. At there is a variety, often been in the markets of Naples with pule yellowith green colorer, and whitish green pulp otherwise not distriguishable (athers, with bloodred pulp, probably belonging to another species, orrung else in the markets, but is rare); The plant is about the cultivates expensely - Capi, and a piece or 100 for I fant, unerthe name of Fico d'India. I have seen the plant roumof 5-8, someting 10-12 feet high - of glacerous hue, with elongits oboute jounts, 12-15 inches long a I half as evide! Tuber let o when your with short oblite leaves (abe 2 lives long ) on the prominent published leaves of delivate white spines 3-6 lives long ith, axil, which usually disappearafter to first year, so that the older joint, are entirely Inheled. I have seen seemed flower, yet, but tould not obtain them. They were geller in he in Nameler in Nameler. fuit miture legtere this line, very few green my stiff on the sternj. I inchen long 2 in Samueter. 85-70 aveder i /21 order; umbelier flat g live i d'assorter. - Teste soul et pleasent, unt

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Toanny Gussone, Rome Sinde Synopsig vol 1. Neapoli 1842 py. 549 Spunter 1. O. Times habira Mill. Haw. Der Im. erecti olata attillate-prolifer, attillig elliptit dovatigen composis planis, spinis fiscitalità Carrieginen subsequentibres. Carte, Zin, Jasin , Der M. grun. 7. 138 Aprili- decio Bruner actet tever Samter portiresperiferte et alts 9-12 per alle attele polie junion talendet, tuberoti spina union valide elongets instruction Carringinem fujeam duplo superaulot. - flores flavi mægni i mægnu. attioulorum superiorum Testeles - - priotus magni 3-4 pollivares ed-les. Et synonymis Linace et ex loro metali [nostram plantam ] at O. valgaran retali, tamen A. Webb et Bethol. - Myt. Camer. I. 209 notent O. valgary veram Milleri (que Sousa et 6. vergani Bach. et Cacsap....) nuper al America feederate traxisse Fraserus fil. et hans a plante in Mili mendinde a remotis tempositus cultain satis esse Nousanne. Hinr Eorum cuertonitate innixus sub. O. firm india plantan sirulan refero tamen uti egis son speriei varietates hans et segunte the hold

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN

habere illes assentire neques .... = Contres de camacas 4 Variet spinis deriding meller, vel sedskani, tamen hace varietas nunqueaux como sequente Confecuditier Columnter en Similia varietales sequentes ! a. fracter lestercente 6. perte allis Missour English EN c- Jacquite GEORGE ENGLWAIN FAFERS O. \_ askerma interpers 6. it I prestantion funt. 2. O. Augelace, Ten. G. p. 240. St. R. evette elete attimet, prolifer, attimele elliplici obstatique, compressi place, Minis valides Divergentibles inaequality Main, lanegine obsoleta. Carter maximum Jusien Jusien for 1. 240, - + Jon. For. A. Nap. 1.206. In rupe by recovery, et praeteres a I sepes impenetrabeles extruendes ci Sinicia cocile And: - Jan. chanten de Habiter al ali pravoc d'enté d'inciles, ut d'emplis spires valisis numerosis et puetas minores varietaten spinoson diveres

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN



GEO?

